

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)


Sheet	1	of	6	Complete if Known
				Application Number 10/682,655
				Filing Date October 8, 2003
				First Named Inventor Brian Yen
				Art Unit 2878
				Examiner Name Unknown
				Attorney Docket Number 51861.00009

U.S. PATENT DOCUMENTS					
Examiner Initials *	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number - Kind Code ² (if known)			
EW		US- 3,958,560	05-25-1976	March, Wayne Front	
		US- 4,169,676	10-02-1979	Kaiser, Nils	
		US- 5,028,787	07-02-1991	Rosenthal et al.	
		US- 5,178,142	01-12-1993	Harjunmaa et al.	
		US- 5,179,951	01-19-1993	Knudson, Mark B.	
		US- 5,267,152	11-30-1993	Yang et al.	
		US- 5,313,941	05-24-1994	Braig et al.	
		US- 5,398,681	03-21-1995	Kupershmidt, Vladimir	
		US- 5,433,197	07-18-1995	Stark, Edward W.	
		US- 5,517,313	05-14-1996	Colvin, Jr., Arthur E.	
		US- 5,549,596	08-27-1996	Latina, Mark A.	
		US- 5,692,504	12-02-1997	Essenpreis et al.	
		US- 5,710,630	01-20-1998	Essenpreis et al.	
		US- 5,857,462	01-12-1999	Thomas et al.	
		US- 5,871,442	02-16-1999	Madarasz et al.	
		US- 6,001,087	12-14-1999	Shults et al.	
		US- 6,025,597	02-15-2000	Sterling et al.	
		US- 6,026,314	02-15-2000	Amerov et al.	
		US- 6,028,311	02-22-2000	Sodickson et al.	
		US- 6,061,582	05-09-2000	Small et al.	
		US- 6,064,898	05-16-2000	Aldrich, Thomas K.	
		US- 6,066,847	05-23-2000	Rosenthal, Robert D.	
		US- 6,072,180	06-06-2000	Kramer et al.	
		US- 6,097,975	08-01-2000	Petrovsky et al.	
		US- 6,099,522	08-08-2000	Knopp et al.	
		US- 6,104,939	08-15-2000	Groner et al.	
		US- 6,113,537	09-05-2000	Castano, Jaime A.	
		US- 6,120,460	09-19-2000	Abreu, Marcio Marc	
		US- 6,151,522	11-21-2000	Alfano et al.	
		US- 6,152,875	11-28-2000	Hakamata, Kazuo	
		US- 6,161,028	12-12-2000	Braig et al.	
EW		US- 6,167,290	12-26-2000	Yang et al.	

FOREIGN PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)			
					T ⁶

Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.



PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

2

of

6

Attorney Docket Number

Complete if Known

<i>Application Number</i>	10/682,655
<i>Filing Date</i>	October 8, 2003
<i>First Named Inventor</i>	Brian Yen
<i>Art Unit</i>	2878
<i>Examiner Name</i>	Unknown

51861.00009

U.S. PATENT DOCUMENTS

Examiner Initials *	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number - Kind Code ² (if known)			
EW		US-6,172,743	01-09-2001	Kley et al.	
		US- 6,181,957	01-30-2001	Lambert et al.	
		US- 6,188,477	02-13-2001	Pu et al.	
		US- 6,213,943	04-10-2001	Abreu, Marcio Marc	
		US- 6,222,189	04-24-2001	Misner et al.	
		US- 6,246,893	06-12-2001	Gobeli, Garth W.	
		US- 6,275,726	08-14-2001	Chan et al.	
		US- 6,276,798	08-21-2001	Gil et al.	
		US- 6,312,393	11-06-2001	Abreu, Marcio Marc A. M.	
		US- 6,362,144	03-26-2002	Berman et al.	
		US- 6,387,059	05-14-2002	Marchitto et al.	
		US- 6,394,999	05-28-2002	Williams et al.	
		US- 6,413,251	07-02-2002	Williams, Roy E.	
		US- 6,421,548	07-16-2002	Berman et al.	
		US- 6,423,001	07-23-2002	Abreu, Marcio Marc	
		US- 6,424,848	07-23-2002	Berman et al.	
		US- 6,424,851	07-23-2002	Berman et al.	
EW		US- 6,430,424	08-06-2002	Berman et al.	
		US-			

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)				


Examiner Signature

/Eric Winakur/

Date Considered

07/21/2006

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered.
 Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO				Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				<i>Application Number</i>	10/682,655
(Use as many sheets as necessary)				<i>Filing Date</i>	October 8, 2003
				<i>First Named Inventor</i>	Brian Yen
				<i>Art Unit</i>	2878
				<i>Examiner Name</i>	Unknown
Sheet	3	of	6	<i>Attorney Docket Number</i>	51861.00009


NON PATENT LITERATURE DOCUMENTS				
Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.		T ²
EW		FREIHERR, Greg; "The Race to Develop a Painless Blood Glucose Monitor"; R&D Horizons, Medical Device & Diagnostic Industry (MDDI) archive; March 1997; 9 pages.		
		"Continuous Monitoring of Blood Glucose Levels"; Animas Corporation; Products - Glucose Sensor; 4 pages; Copyright 2000, 2001.		
		TUCHIN, Valery V.; "Coherence and Light Scattering Methods and Instruments for Medical Diagnosis"; SPIE'S Photonics West Biomedical Optics 2001 Conference; San Jose Convention Center, San Jose, CA; January 20-26, 2001; Short Course Notes SC032; 15 pages.		
		BASHKATOV, Alexey N. et al.; "Estimation of Glucose Diffusion Coefficient in Scleral Tissue"; 13 pages.		
		KLONOFF, Dr. David C. et al.; "Mid-Infrared Spectroscopy for Noninvasive Blood Glucose Monitoring"; LEOS Newsletter; 3 pages; Vol. 12, No. 2.		
		WAYNANT, R. W., Ph.D. et al.; "Overview of Non-Invasive Fluid Glucose Measurement Using Optical Techniques to Maintain Glucose Control in Diabetes Mellitus"; Overview of Non-Invasive Optical Glucose Monitoring Techniques; LEOS Newsletter; April 1998; 5 pages; Vol. 12, No. 2.		
		Medical Library - Noninvasive Blood Glucose Monitors; Medem, Inc.; 4 pages.		
		Digital Light Microscopy; Digital Optical Imaging Corp.; Copyright 1999-2002; 1 page.		
		"Creating a window into the body"; Posted October 6, 2000; 2 pages. URL://http://perl.spie.org/cgi-bin/news.pl?id=1753		
		HARDING, Anne; "Jab-Free Blood Sugar Test Inching Closer to Reality"; Yahoo! News - Reuters Limited; August 19, 2002; 3 pages.		
		TAMADA, Janet A., Ph.D. et al.; "Noninvasive Glucose Monitoring Comprehensive Clinical Results"; JAMA; November 17, 1999; pages 1839-1844; Vol. 282, No. 19; Copyright 1999 American Medical Association.		
		HOPKINS, George W. et al.; "In-vivo NIR Diffuse-reflectance Tissue Spectroscopy of Human Subjects" HP Laboratories Palo Alto; January 1999; HPL-1999-13; Copyright Hewlett-Packard Company 1999; 10 pages.		
		HAM, Fredric M., et al. "Multivariate determination of glucose concentrations from optimally filtered frequency-warped NIR spectra of human blood serum"; Physiol. Meas. 17 (1996); pages 1-20.		
		KOHL, Matthias et al. "The influence of glucose concentration upon the transport of light in tissue-simulating phantoms"; Phys. Med. Biol. 40 (1995); pages 1267-1287.		
EW		GlucoWATCH - Automatic Glucose Biographer and Autosensors - PATIENT INFORMATION; Revision date March 2001; Copyright Cygnus, Inc. 2000; 6 pages.		

Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



PTO/SB/08b(08-03)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449B/PTO				<i>Complete if Known</i>	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				<i>Application Number</i>	10/682,655
(Use as many sheets as necessary)				<i>Filing Date</i>	October 8, 2003
				<i>First Named Inventor</i>	Brian Yen
				<i>Art Unit</i>	2878
				<i>Examiner Name</i>	Unknown
Sheet	4	of	6	<i>Attorney Docket Number</i>	51861.00009

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.		
EW		PU, Chuan et al.; "A Surface-Micromachined Optical Self-Homodyne Polarimetric Sensor for Noninvasive Glucose Monitoring"; IEEE Photonics Technology Letters, February 2000, pages 190-192; Vo. 12, No. 2.		
		SAVAGE, Mark B. et al.; "Development of a Non-invasive Blood Glucose Monitor: Application of Artificial Neural Networks for Signal Processing"; pages 29-20; Copyright 2000 IEEE.		
		MCSHANE, Michael J. et al.; "Glucose Monitoring Using Implanted Fluorescent Microspheres - Working Toward a Minimally Invasive Means for Diabetics to Better Monitor Glucose Levels"; IEEE Engineering in Medicine and Biology; November/December 2000; pages 36-45.		
		HAM, Fredric M.; "Multivariate Determination of Glucose Using NIR Spectra of Human Blood Serum"; pages 818-819; Copyright 1994 IEEE.		
		OLESBERG, Jonathon T.; "Noninvasive blood glucose monitoring in the 2.0-2.5 μm wavelength range"; Department of Chemistry and the Optical Science and Technology Center, University of Iowa, Iowa City, IA; page 529; Copyright 2001 IEEE.		
		YOON, Gilwon et al.; "Non-Invasive Monitoring of Blood Glucose"; FP3 (Invited)/CLEO/Pacific Rim '99; page 1233-1234; Copyright 1999 IEEE.		
		YOON, Gilwon et al.; "Optical Measurement of Glucose Levels in Scattering Media"; Proceedings of the 20 th Annual International Conference of the IEEE Engineering in Medicine and Biology Society; 1998; pages 1897-1899; Vol. 20, No. 4.		
		YOON, Gilwon et al.; "Reagentless/Non-Invasive Diagnosis of Blood Substances"; MJ1-1 (Invited); pages I-226-I-227.		
		JIANG, Desheng et al.; "Study on a New Fiber Optic Glucose Biosensor"; ThP9; pages 451-454; Copyright 2002 IEEE.		
		HEISE, H. M. et al.; "Technology for Non-Invasive Monitoring of Glucose"; 18 th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, M6 Minisymposium; Amsterdam 1996; pages 2159-2161.		
		COLVIN, Arthur E. et al.; "A Novel Solid-State Oxygen Sensor"; John Hopkins APL Technical Digest; 1996; pages 377-385; Vol. 17, No. 4.		
		AMEEN, David B. et al.; "A Lattice Model for Computing the Transmissivity of the Cornea and Sclera"; Biophysical Journal; November 1998; pages 2520-2531; Vol. 75.		
		BORCHERT, Mark S. et al.; "A Noninvasive Glucose Monitor: Preliminary Results in Rabbits"; Diabetes Technology & Therapeutics; 1999; pages 145-151; Vol. 1, No. 2; Mary Ann Liebert, Inc.		
		HOERAUF, H. et al.; "First experimental and clinical results with transscleral optical coherence tomography"; Ophthalmic Surg Lasers May-June 2000; PubMed; 2 pages.		
EW		MYERS, J. S. et al.; "Laser energy reaching the posterior pole during transscleral cyclophotocoagulation"; Arch Ophthalmol; April 1998; PubMed; 2 pages.		


Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number



PATENT & TRADEMARK OFFICE

SUBSTITUTE FOR FORM 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

5

of

6

Complete if Known

Application Number	10/682,655
Filing Date	October 8, 2003
First Named Inventor	Brian Yen
Art Unit	2878
Examiner Name	Unknown

Attorney Docket Number 51861.00009


NON PATENT LITERATURE DOCUMENTS		
Examiner Initials *	Cite No. ¹	
		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
EW		ZHENG, Peng, Ph.D. et al.; "Noninvasive Glucose Determination by Oscillating Thermal Gradient Spectrometry"; Diabetes Technology & Therapeutics; 2000; pages 17-25; Vol. 2, No. 1; Mary Ann Liebert, Inc.
		ARNOLD, Mark A. Ph.D.; Editorial: "Noninvasive Laser Measurement of Blood Glucose in the Eye: A Bright Idea or an Optical Illusion?"; Diabetes Technology & Therapeutics; 1999; pages 117-119; Vol. 1, No. 2; Mary Ann Liebert, Inc.
		MALIN, Stephen F. et al.; "Noninvasive Prediction of Glucose by Near-Infrared Diffuse Reflectance Spectroscopy"; Clinical Chemistry; 1999; pages 1651-1658; Vol. 45, No. 9; Oak Ridge Conference.
		HAMMER, M. et al.; "Optical properties of ocular fundus tissues—an in vitro study using the double-integrating-sphere technique and inverse Monte Carlo simulation"; Phy Med Biol; June 1995; 2 pages.
		PREUSSNER, P.R. et al.; "Steps to optimize transscleral photocoagulation"; Graefes Arch Clin Exp Ophthalmol; May 1995; 2 pages.
		CAMERON, Brent D. et al.; "The Use of Polarized Laser Light Through the Eye for Noninvasive Glucose Monitoring"; Diabetes Technology & Therapeutics; 1999; pages 135-143; Vol. 1, No. 2; Mary Ann Liebert, Inc.
		SMALL, Gary W. et al.; "Data Handling Issues for Near-Infrared Glucose Measurements"; LEOS Newsletter; April 1998; 4 pages; Vol. 12, No. 2.
		MCNICHOLS, Roger J. et al.; "Development of a Non-invasive Polarimetric Glucose Sensor"; LEOS Newsletter; April 1998; 3 pages; Vol. 12, No. 2.
		HEISE, H. M.; "Diffuse Reflectance Near-Infrared Spectrometry for Non-Invasive Blood Glucose Monitoring"; LEOS Newsletter; April 1998; 3 pages; Vol. 12, No. 2.
		ASHER, Sanford A. et al.; "Glucose Sensing Intelligent Polymerized Crystalline Colloidal Arrays"; LEOS Newsletter; April 1998; 4 pages; Vol. 12, No. 2.
		BURMEISTER, Jason J. et al.; "Infrared Spectroscopy: Spectroscopic Considerations for Noninvasive Blood Glucose Measurements with Near Infrared Spectroscopy"; LEOS Newsletter; April 1998; 5 pages; Vol. 12, No. 2.
		KOO, Tae-Woong, et al.; "Measurement of Glucose in Human Blood Serum Using Raman Spectroscopy"; LEOS Newsletter; April 1998; 2 pages; Vol. 12, No. 2.
		LAMBERT, James et al.; "Measurement of Physiologic Glucose Levels Using Raman Spectroscopy in a Rabbit Aqueous Humor Model"; LEOS Newsletter; April 1998; 6 pages; Vol. 12, No. 2.
		DANZER, K. et al.; "Near-Infrared Diffuse Reflection Spectroscopy for Non-Invasive Blood-Glucose Monitoring"; LEOS Newsletter; April 1998; 3 pages; Vol. 12, No. 2.
EW		JANG, Sunghoon, et al.; "Optical Sensor Using the Magnetic Optical Rotatory Effect of Glucose"; LEOS Newsletter; April 1998; 4 pages; Vol. 12, No. 2.

Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

6

of

6

Complete if Known

Application Number 10/682,655

Filing Date October 8, 2003

First Named Inventor

Art Unit 2878

Examiner Name Unknown

Attorney Docket Number

NON-PATENT LITERATURE DOCUMENTS


Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 2

Subscribed for form 1449A/PTO TRADEMARK		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i>		<i>Application Number</i>	10/682,655
		<i>Filing Date</i>	October 8, 2003
		<i>First Named Inventor</i>	Brian YEN
		<i>Art Unit</i>	2878
		<i>Examiner Name</i>	Unknown
Sheet	1	of	2
		<i>Attorney Docket Number</i>	51861.00009

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
--------------------	----------------	-----------------	------------

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 608. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²Searf Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO		<i>Complete If Known</i>	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		<i>Application Number</i>	10/682,655
		<i>Filing Date</i>	October 8, 2003
		<i>First Named Inventor</i>	Brian YEN
		<i>Art Unit</i>	2878
		<i>Examiner Name</i>	Unknown
<i>(Use as many sheets as necessary)</i>		<i>Attorney Docket Number</i>	
Sheet	2	of	2

Examiner Signature	/Eric Winakur/	Date Considered	07/21/2006
-----------------------	----------------	--------------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.